

## Dräger PSS® 5000 Compressed Air Breathing Apparatus

The Dräger PSS® 5000 SCBA is a new generation high performance breathing apparatus for the professional firefighter. Combining advanced ergonomics with a wide range of configurable options the Dräger PSS® 5000 provides the user with the comfort and versatility to meet the demands of first responders whenever breathing protection is required.



- Ergonomic carrying system
- Advanced harness choice
- Service friendly & easy to maintain
- Integrated and Versatile hose routing
- Wide variety of system configurations and accessories
- Electronic Monitoring with the Dräger Bodyguard® 7000

Utilizing the established Dräger PSS Pneumatics and cylinder strap design, the Dräger PSS 5000 combines established technology, state-of-the-art materials and innovative thinking to create a SCBA for virtually any application.

### ERGONOMIC CARRYING SYSTEM

The Dräger PSS 5000 has been designed to be not only comfortable but also extremely stable during use in harsh firefighting environments. Incorporating a rigid harness connection to a fixed-height back plate, advanced harness materials and a pivoting waist belt, the Dräger PSS 5000 remains in position regardless of the task in hand.

### ADVANCED HARNESS CHOICE

To allow the breathing apparatus to be tailored to the required application,

the Dräger PSS 5000 utilizes new state-of-the-art harness materials offered in a choice of 2 harness options.

- **The Dräger Standard (DS)** harness is a cost effective option for everyday use, offering a high level of comfort and durability. Easy to don and doff materials and simple pull forward and down adjustment mechanisms make the DS harness a versatile option for a wide variety of applications.
- **The Dräger Professional (DP)** utilizes materials to withstand the high wear and tear that firefighters face daily, whilst providing an enhanced level of comfort and function over the DS harness. Incorporating hardwearing stainless steel buckles and long-life Aramid blend webbing, the DP is ideally suited to extended wear and frequent use.



D-426E-2010

Dräger PSS® 5000



### SERVICE FRIENDLY & EASY TO MAINTAIN

To keep downtime and costs to a minimum during service and maintenance, the Dräger PSS 5000 incorporates a number of unique design features;

- Dräger's innovative Harness "slide and lock" mechanism facilitates fast and simple harness and waist pad connection/removal from the back plate, without the use of tools.
- The first stage reducer snap fit connection allows the pneumatics to be fitted or removed quickly and easily from the set.
- "Push in and out" hose clips allow swift removal of hoses from the harness pads for cleaning, without the need to remove the clip itself.
- Closed, single piece harness and waist pad design to prevent excessive water absorption, reducing cleaning and drying time.

### INTEGRATED AND VERSATILE HOSE ROUTING

To minimize the risk of snagging and to guard against physical damage, both the gauge and air supply hoses are integrated within channels in the Dräger PSS 5000 back plate. The LDV, Gauge and Rescue hoses can now be routed over the left and/or right shoulders (2 hoses per side), allowing the Dräger PSS 5000 to be configured to any standard. Conventional waist mounted hoses can also be fitted making the Dräger PSS 5000 one of the most versatile SCBA's available.

### WIDE VARIETY OF SYSTEM CONFIGURATIONS AND ACCESSORIES

Dräger has revolutionized the use of

breathing apparatus by creating a range of components that can be selected in combination to meet the specific needs of the firefighter regardless of the task.

In addition to the inherent features of the Dräger PSS 5000 DS and DP, it is also possible to add;

- Dräger Bodyguard 7000 electronic monitoring
- Twin cylinder configuration
- Quick-Connect (QC) cylinder connection
- Chargeair quick filling
- Secondary supply connections for rescue, decontamination and/or airline use
- PSS Merlin Modem
- PSS Rescue Hood
- And many more... (for a full list and information please refer to the Dräger CABE Family Catalogue)

### ELECTRONIC MONITORING WITH THE DRÄGER BODYGUARD® 7000

The Dräger PSS 5000 has been designed to be fully compatible with the globally established Dräger Bodyguard 7000 electronic signal and warning unit, and the newly integrated PSS Merlin Modem.

For maximum protection The Dräger Bodyguard 7000 has an innovative compact design that integrates the power supply and pressure sensor modules within the back plate, creating a balanced weight distribution. Real-time monitoring of essential information such as time-to-whistle (based on current air consumption) and cylinder pressure is communicated via a lightweight handheld

electronic gauge and display and/or, a facemask-mounted Head's Up Display (HUD).

Simultaneously this information can be transferred to an Entry Control Board via the PSS Merlin Modem, further enhancing firefighter and fire ground safety.

### DRÄGER BODYGUARD® 7000 AT A GLANCE

- Accurate, continuously updated air time remaining
- Digital and Analogue display of cylinder pressure
- Time to whistle (based on current air consumption)
- Intuitive operation
- Integrated personal alert safety system (PASS)
- Visual and acoustic warnings and alarms (102 to 112 dBA)
- Easy push-button operation
- Configurable settings to suit individual preferences
- Enhanced display with scrolling text
- Automatic self tests and system tests
- Datalog with personal ID
- PC Link Software (Windows® compatible)
- Choice of operating modes: Tally and Automatic
- Simple upgrade to Dräger FPS® 7000 Head-Up- Display (HUD)
- Simple integration with the Dräger PSS® Merlin Modem

DRÄGER® PSS 5000

Push "in and out" hose clips

"Slide and Lock" Harness Connections

Integrated Hose Channels

Swivel Waist Belt

Strap Retainer

Pull Forward Waist Adjustment

D-4266-2010



Dräger® PSS 5000  
Rescue Hose Shoulder

Left Hand Shoulder  
3358341

Right Hand Shoulder  
3358340



D-4267-2010



D-203892-2010

High-Tech Harness

Closed, single piece harness and waist pad design to prevent excessive water absorption, reducing cleaning and drying time.

## TECHNICAL INFORMATION

	PSS 5000 DS Pneumatic Gauge	PSS 5000 DP Pneumatic Gauge	PSS 5000 DP Bodyguard 7000
Weight Kg (Backplate and Harness)	3.85	4.00	4.60
Input Pressure (bar)	0 - 300	0 - 300	0 - 300
Nominal 1st Stage output pressure	7.5	7.5	7.5
1st stage output flow (l/min)	> 1000	> 1000	> 1000
LDV output flow (l/min)	> 400	> 400	> 400
Whistle activation pressure (bar)	50 - 60	50 - 60	50 - 60
Whistle Sound Level (dBA)	> 90	> 90	> 90
ADSU Main alarm (dBA)	N/A	N/A	102 - 112

Approvals EN 137:2006 (Type2)

## SELECTED ACCESSORIES/UPGRADES



ST-6168-2007

Dräger Bodyguard® 7000



ST-9475-2006

Dräger FPS® 7000



ST-9907-2006

Dräger FPS® 7000  
Head-Up Display

ST-6201-2007

Dräger PSS Rescue hood



ST-606-2006

Plus LDV



ST-6165-2007

Cylinder Quick Connect



D-2504-2010

Dräger PSS Merlin Modem



ST-6183-2007

Dräger PSS® 7000  
secondary supply hose

D-16516-2010

Dräger Bodyguard® 1000

## ORDER INFORMATION

## Dräger PSS® 5000 Compressed Air Breathing Apparatus

PSS 5000 DP Pneumatic Gauge	single cylinder strap	3357845
PSS 5000 DP Pneumatic Gauge	universal cylinder strap	3358333
PSS 5000 DP Quick Connect	single cylinder strap	3358431
PSS 5000 DP Bodyguard 7000	single cylinder strap	3358353
PSS 5000 DP Bodyguard 7000	universal cylinder strap	3358355
PSS 5000 DP Bodyguard 7000 QC	single cylinder strap	3358436
PSS 5000 DP Bodyguard 7000 Tally	single cylinder strap	3358354
PSS 5000 DP Bodyguard 7000 Tally	universal cylinder strap	3358356
PSS 5000 DP Bodyguard 7000 Tally Quick Connect	single cylinder strap	3358437
PSS 5000 DS	single cylinder strap	3357858
PSS 5000 DS	universal cylinder strap	3358338
PSS 5000 DS Quick Connect	single cylinder strap	3358428
PSS 5000 DS Bodyguard 7000	single cylinder strap	3358349
PSS 5000 DS Bodyguard 7000	universal cylinder strap	3358351
PSS 5000 DS Bodyguard 7000 Quick Connect	single cylinder strap	3358434
PSS 5000 DS Bodyguard 7000 Tally	single cylinder strap	3358350
PSS 5000 DS Bodyguard 7000 Tally	universal cylinder strap	3358352
PSS 5000 DS Bodyguard 7000 Tally Quick Connect	single cylinder strap	3358435

## Selected Accessories

FPS 7000 HUD Transmitter Kit 1		
consisting of pressure module and HP manifold (allows upgrade from PSS 5000 with pneumatic gauge to FPS 7000 Heads-Up-Display) n-mask display and power supply not included.		3356882
Bodyguard 7000 Upgrade Kit (Tally)		
consisting of Bodyguard 7000 display module & pressure Module including HP hose & pneumatic whistle. (Upgrade of PSS 5000 with pneumatic gauge to PSS 5000 w Bodyguard 7000, power supply not included)		3357098
Bodyguard 7000 Upgrade Kit (Button)		3357101
PSS Merlin Modem Kit		3357982

## Plus lung demand valve (LDV)

Normal Demand (N)		3350501
Plug in (A)		3338700
M45 (AE)		3338706
ESA		3351302
Automatic switch over valve (ASV)		on request
PSS Rescue hood		3354982

## Lung demand valve holder

N/ESA		3357526
AE		3357528
A		3357527
Dräger Cylinders		on request

## Secondary Supply &amp; Airline Accessories

2nd MP Connector Hose - Waist - Female - LF		3355748
2nd MP Connector Hose - Waist - Male - LF		3355749
2nd MP Connector Hose - Waist - Female - SF		3358503
2nd MP Connector Hose - Shoulder RH - Female - QRC		3358340
2nd MP Connector Hose - Shoulder LH - Female - QRC		3358341
2nd MP Combined Connector Hose - Waist - Unsecured		3356530
2nd MP Combined Connector Hose Forward - Waist - Secured		3358403
2nd MP Combined Connector Hose Forward - Waist - Secured		3358406
Buddy Breather Pouch		3358596
Revitox Shoulder Hose		3358590

**HEADQUARTERS**

Draeger Safety AG & Co. KGaA  
Revalstrasse 1  
23560 Lübeck, Germany

www.draeger.com

**SUBSIDIARIES****AUSTRALIA**

Draeger Safety Pacific  
Pty. Ltd.  
Axxess Corporate Park  
Unit 99, 45 Gilby Road  
Mt. Waverley. Vic 3149  
Tel +61 3 92 65 50 00  
Fax +61 3 92 65 50 95

**CANADA**

Draeger Canada Ltd.  
7555 Danbro Crescent  
Mississauga,  
Ontario L5N 6P9  
Tel +1 905 821 89 88  
Fax +1 905 821 25 65

**P. R. CHINA**

Beijing Fortune Draeger Safety  
Equipment Co., Ltd.  
A22 Yu An Rd, B Area,  
Tianzhu Airport Industrial Zone  
Shunyi District,  
Beijing 101300  
Tel +86 10 80 49 80 00  
Fax +86 10 80 49 80 05

**FRANCE**

Dräger Safety France SAS  
3c route de la Fédération  
BP 80141  
67025 Strasbourg Cedex 1  
Tel +33 3 88 40 59 29  
Fax +33 3 88 40 76 67

**NETHERLANDS**

Dräger Safety Nederland B.V.  
Edisonstraat 53  
2700 AH Zoetermeer  
Tel +31 79 344 46 66  
Fax +31 79 344 47 90

**MEXICO**

Draeger Safety S.A. de C.V.  
Av. Peñuelas No. 5  
Bodega No. 37  
Fraccionamiento Industrial  
San Pedrito, Querétaro  
Qro México  
Tel +52 442 246-1113  
Fax +52 442 246-1114

**SINGAPORE**

Draeger Safety Asia Pte Ltd  
67 Ayer Rajah  
Crescent #06-03  
Singapore 139950  
Tel +65 68 72 92 88  
Fax +65 65 12 19 08

**REP. OF SOUTH AFRICA**

Dräger South Africa (Pty) Ltd.  
P.O.Box 68601  
Bryanston 2021  
Tel +27 11 465 99 59  
Fax +27 11 465 69 53

**SPAIN**

Draeger Safety  
Hispania S.A.  
Calle Xaudaró 5  
28034 Madrid  
Tel +34 91 728 34 00  
Fax +34 91 729 48 99

**UNITED KINGDOM**

Draeger Safety UK Ltd.  
Blyth Riverside  
Business Park  
Blyth, Northumberland  
NE24 4RG  
Tel +44 1670 352 891  
Fax +44 1670 356 266

**USA**

Draeger Safety, Inc.  
101 Technology Drive  
Pittsburgh, PA 15275  
Tel +1 412 787 83 83  
Fax +1 412 787 22 07