

ALL PRO-WEAR® ARC FLASH PROTECTION CLOTHING K

SIZING


SALISBURY PRO-HOOD® ARC FLASH PROTECTION HOODS ARE SIZED ONE SIZE FITS ALL.

PRODUCT: COATS & JACKETS

Measuremer CHEST	ts in inches (minimum allowed) COAT/JACKET SIZE
34-36"	ς
38-40"	M
42-44"	L
46-48"	XL
50-52"	2XL
54-56"	3XL
SPECIAL O	RDER SIZES
58-60"	4XL
62-64"	5XL

PRODUCT: BIB OVERALLS & OVERPANTS

Measurements in inches (minimum allowed)		
WAIST	BIB/OVERPANTS SIZE	INSEAM
28-30"	S	28"
32-34"	M	29"
36-38"	L	30"
40-42"	XL	30"
44-46"	2XL	30"
48-50"	3XL	30"
SPECIAL ORD	ER SIZES	
52-54"	4XL	30"
56-58"	5XL	30"



PRODUCT: COVERALL

Measurements i	n inches (minimum a COVERALL SIZE	
34-36"	S	28"
38-40"	M	29"
42-44"	L	30"
46-48"	XL	30"
50-52"	2XL	30"
54-56"	3XL	30"
SPECIAL ORD	ER SIZES	
58-60"	4XL	30"
62-64"	5XL	30"

HOW TO MEASURE

A Chest - Measure around body at the underarm area

B Waist - Measure around waist at the largest area

C Inseam - Measure from mid crotch down to leg hem

ALL PRO-WEAR® ARC FLASH PROTECTION CLOTHING KITS

MATERIAL WEIGHTS

PRODUCT FEATURE

THE SALISBURY ADVANTAGE

LIGHTER MATERIAL MAKES ALL THE DIFFERENCE

THE SALISBURY 40 CAL/CM² LT ARC FLASH MATERIAL MAKES WORKING MORE COMFORTABLE THEN EVER.

Salisbury has made it even easier to do your job safely and comfortably. Salisbury offers an even lighter 40 cal/cm² option with our LT line. The 40 cal/cm² LT option is 10% lighter than the standard 40 cal/cm² material making your job even more comfortable.

MATERIAL WEIGHT FOR ATPV RATINGS

ATPV Rating cal/cm ²	Material Weight oz./yd²	
8	7 oz./yd² (237 g/m²)	
12	9 oz./yd² (305 g/m²)	
20	13 oz./yd² (441 g/m²)	
31	2 layers - 9 oz./yd² (305 g/m²) & 7 oz./yd² (237 g/m²)	
40	2 layers - 13 oz./yd² (441 g/m²) & 5.5 oz./yd² (186 g/m²)	
40-LT	10% LIGHTER 4 layers - 7 oz./yd² (237 g/m²) & 5.5 oz./yd² (186 g/m²) & 2 layers - 1.9 oz./yd² (64 g/m²)	
55	2 layers - 13 oz./yd² (441 g/m²) & 13 oz./yd²	
75	3 layers - 2 layers 13 oz./yd² (441 g/m²) & 1 layer 7 oz./yd² (237 g/m²)	
100	3 layers - 10 oz./yd² (339 g/m²) & 2 layers 9.4 oz./yd² (319 g/m²)	

ALL PRO-WEAR® ARC FLASH PROTECTION CLOTHING KITS

QUICK REFERENCE CHARTS & INFORMATION



THE SALISBURY ADVANTAGE

CE MARKING

All Salisbury PRO-WEAR® Arc FLash Protection Clothing has received the coveted CE certification. This Salisbury advantage is one more reason why Salisbury provides the best personal protective equipment available today. All Salisbury PRO-HOOD® Arc Flash Protection Hoods have also been CE certified. Look for the CE marking to see exactly which garments have been CE 0120 certified.

ABOUT CE CERTIFICATION

CE Marking is a mandatory conformity marking and refers to Product Safety.

CE Marking on a product:

- Indicates that the product complies with the essential health and safety requirements of all applicable EU directives.
- A declaration by the manufacturer, or its representative, or the importer that those requirements have been met in full.
- A declaration that all conformity procedures have been completed. The product is allowed in the European market.

QUICK REFERENCE PRODUCT NUMBERING CHART

Salisbury	Size of Garments	ATPV Rating	HRC
Cat. No.	(choose one below)	cal/cm ²	
SK8	S, M, L, XL, 2XL or 3XL	8	2
SK8TC	S, M, L, XL, 2XL or 3XL	8	2
SK11	S, M, L, XL, 2XL or 3XL	12	2
SK11TC	S, M, L, XL, 2XL or 3XL	12	2
SKJ8*	S, M, L, XL, 2XL or 3XL	8	2
SKJ11*	S, M, L, XL, 2XL or 3XL	12	2
SKJP8*	S, M, L, XL, 2XL or 3XL	8	2
SKJP11*	S, M, L, XL, 2XL or 3XL	12	2
SKCA8*	S, M, L, XL, 2XL or 3XL	8	2
SKCA8TC*	S, M, L, XL, 2XL or 3XL	8	2
SKCA11*	S, M, L, XL, 2XL or 3XL	12	2
SKCA11TC*	S, M, L, XL, 2XL or 3XL	12	2
SK20	S, M, L, XL, 2XL or 3XL	20	2
SK31	S, M, L, XL, 2XL or 3XL	31	3
SK40	S, M, L, XL, 2XL or 3XL	40	4
SK40TC	S, M, L, XL, 2XL or 3XL	40	4
SK40LT	S, M, L, XL, 2XL or 3XL	40	4
SK55	S, M, L, XL, 2XL or 3XL	55	4
SK75	S, M, L, XL, 2XL or 3XL	75	4
SK100	S, M, L, XL, 2XL or 3XL	100	4
Example:			
SK20	XL	20	2

SK20XL is a clothing kit with a rating of 20 cal/cm² that contains coat and bib overalls size extra large, hard hat, hood, safety glasses and storage bags.

OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.



If You Need it, Request it. Call customer service if you need something not seen here.



SALISBURY PRO-WEAR Color Code	Hazard Risk Category (HRC)	Clothing Description (Typical Number of dothing layers given in parentheses)	Minimum Arc Thermal Performance Exposure Value (ATPV) Rating of PPE
	1	FR long-sleeve shirt and FR pants or FR coverall plus arc-rated face shield or switching hood (1)	4 cal/cm ²
Navy Blue	2	FR long-sleeve shirt and FR pants or FR coverall plus arc-rated face shield or switching hood (1 or 2)	8 cal/cm ²
	2*	FR long-sleeve shirt and FR pants or FR coverall plus switching hood (or faceshield with balaclava) (1 or 2)	8 cal/cm ²
Royal Blue	3	FR long-sleeve shirt and FR pants and FR coverall and FR jacket and FR pants or total FR dothing system with hood (2 of	or 3) 25 cal/cm ²
Gray / Khaki	4	FR long-sleeve shirt and FR pants and FR coverall and FR jacket and FR pants or total FR dothing system with hood (2 of	or 3) 40 cal/cm ²

 $^{^{\}ast}$ Add suffix "-AS1200" to replace the AS1000HAT with an AS1200HAT

PRO-HOOD® ARC FLASH PROTECTION HOOD

8 - 100 CAL/CM²

PRO-HOOD® ARC FLASH PROTECTION HOODS

8 cal/cm² to 100 cal/cm^{2*} ATPV ratings

8 cal/cm² to 75 cal/cm²* hoods are made from arc flash resistant material

100 cal/cm 2* hood is made from TuffWeld® and Q/9® material layers

Sewn with Nomex® thread

Arc rated 10" x 20" anti-fogging replaceable lens

Slotted bracket

Hook and pile tabs to attach Salisbury's PRO-AIR™ belt mounted compact air system

One size fits all.

Hard hat not included.

Meet current ASTM F2178 and NFPA 70E standards and the flammability requirements for ASTM F1506.

All PRO-HOODs are CE 0120 certified.

Orange color available by special order

NEW Optional Universal Inner Anti-Fog Lens

(see page 12 for more information)

NEW Optional Integrated Air Flow Hood System (see page 17 for more information)

IMPROVEMENTS:

NEW Design and Cut on FH8BL. FH11BL & FH20BL Clearer Lens available on FH8BL, FH11BL, FH20BL, FH31RB, FH40GY, FH40GYLT, and FH55GY

Cat. No.	Description
FH8BL	IMPROVED 8 cal/cm², navy blue
FH11BL	IMPROVED 12 cal/cm², navy blue
FH20BL	IMPROVED 20 cal/cm², navy blue
FH31RB	IMPROVED 31 cal/cm², royal blue
FH40GY	IMPROVED 40 cal/cm², gray
FH40GYLT	IMPROVED 40 cal/cm², lighter weight, gray
FH55GY*	IMPROVED 55 cal/cm², gray
FH75GY*	75 cal/cm², gray
FH100TW*	100 cal/cm², khaki, TuffWeld®
Add suffix "-C" to	indude integrated air flow hood system.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

SALISBURY ADVANTAGE

NO OTHER ORTION COMES CLOSEL



FH40GY



40 CAL/CM² & 100 CAL/CM². LIGHTER MATERIAL THAN EVER.

NEW AIR FLOW SYSTEM OPTIONAL INTEGRATED LIGHTWEIGHT AIR SYSTEM



NEW

NEW PRO-HOOD® CLEAR

- IMPROVED FH8BL
- -CLEAREST HOOD AVAILABLE
- -LIGHTER WEIGHT
- -MEETS NFPA 70E HRC2* 2009



*IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.

FH8BL

ACC3132RB

PRO-WEAR® FLASH PROTECTION COATS



32" long

Nomex® wristlets.

Sewn with Nomex® thread

Expansion back for added comfort

8 cal/cm² to 100 cal/cm^{2*} ATPV ratings

Dual stage front closure with high temperature plastic zipper on the

ARC FLASH PROTECTION COATS

8 cal/cm 2 to 75 cal/cm 2* coats are made from arc flash resistant material 100 cal/cm 2* coat is made from TuffWeld $^{\odot}$ and Q/9 $^{\odot}$ material layers

31 - 100 cal/cm^{2*} coats

FR hook & pile storm flap

Coats are intended to be used with PRO-HOODS®

Meets current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order



Cat. No.	Description	
ACC832BL	8 cal/cm², navy blue	
ACC832TC	NEW 8 cal/cm², navy blue/khaki	
ACC1132BL	12 cal/cm², navy blue	
ACC1132TC	NEW 12 cal/cm², navy blue/khaki	
ACC2032BL	20 cal/cm², navy blue	
ACC3132RB	31 cal/cm², royal blue	
ACC4032GY	40 cal/cm², gray	
ACC4032TC	NEW 40 cal/cm², gray/navy blue	
ACC4032GYLT	40 cal/cm², lighter weight, gray	
ACC5532GY*	55 cal/cm², gray	
ACC7532GY*	75 cal/cm², gray	
ACC10032TW*	100 cal/cm², khaki, TuffWeld®	

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

If You Need it, Request it. Call customer service if you need something not seen here.

*IMPORTANT: NFPA 70E does not have a Hazard Risk Category above 40 cal/cm². Working on levels above 40 cal/cm² should be avoided because of the blast hazards caused by arc flash.

Dual stage front closure with high temperature plastic zipper and FR hook & pile storm flap on $31-100 \text{ cal/cm}^2$ coat designs.

ARC FLASH PROTECTION BIB OVERALLS

8 cal/cm² to 100 cal/cm^{2*} ATPV ratings

8 cal/cm² to 75 cal/cm^{2*} bib overalls are made from arc flash

resistant material

100 cal/cm^{2*} bib overalls are made from TuffWeld® and Q/9® material layers

Sewn with Nomex® thread

Integrated heavy duty suspenders

Relaxed cut for greater mobility

30" inseam

Adjustable hook and pile waist straps

Bib front for added protection

Adjustable gussets on pant cuffs.

Meets current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order

Cat. No.	Description
ACB830BL	8 cal/cm², navy blue
ACB830TC	NEW 8 cal/cm², navy blue/khaki
ACB1130BL	12 cal/cm², navy blue
ACB1130TC	NEW 12 cal/cm², navy blue/khaki
ACB2030BL	20 cal/cm², navy blue
ACB3130RB	31 cal/cm², royal blue
ACB4030GY	40 cal/cm², gray
ACB4030TC	NEW 40 cal/cm², gray/navy blue
ACB4030GYLT	40 cal/cm², lighter weight, gray
ACB5530GY*	55 cal/cm², gray
ACB7530GY*	75 cal/cm², gray
ACB10030TW*	100 cal/cm², khaki, TuffWeld®

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

If You Need it, Request it. Call customer service if you need something not seen here.







ACB10030TW



40 CAL/CM² & 100 CAL/CM². LIGHTER MATERIAL THAN EVER.



ACB830TC

PRO-WEAR® ARC FLASH PROTECTION PREMIUM COVERALLS







ARC FLASH PROTECTION COVERALLS

8 cal/cm² to 20 cal/cm² ATPV ratings

Made from arc flash resistant material

Sewn with Nomex® thread

Full cut with set in sleeves

FR hook and pile front closure

30" inseam

Expansion back

2-ply Nomex® wristlets

Hook and pile cuff opening

Meet current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order

Cat. No.	Description	
ACCA8BL	8 cal/cm², navy blue	
ACCA8TC	NEW 8 cal/cm², navy blue/khaki	
ACCA11BL	12 cal/cm², navy blue	
ACCA11TC	NEW 12 cal/cm², navy blue/khaki	
ACCA20BL	20 cal/cm², navy blue	

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

If You Need it, Request it. Call customer service if you need something not seen here.

ARC FLASH PROTECTION PREMIUM COVERALL KITS

8 & 12 CAL/CM² HRC 2



■ SALISBURY PRO-WEAR® ARC FLASH PROTECTION COVERALL KITS are dothing kits containing arc flash coveralls in an ATPV rating of either 8 cal/cm² or 12 cal/cm², an AS1000HAT, an appropriate ATPV rated AFH00D, ASBAG, SKBAG and safety glasses.

NEW 2-COLOR PRO-WEAR ARC FLASH PROTECTION COVERALL KITS are dothing kits containing arc flash coveralls in an ATPV rating of either 8 cal/cm² or 12 cal/cm², a NEW AS1200HAT, an appropriate ATPV rated AFHOOD, ASBAG, SKBAG and safety glasses.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E HAZARD RISK CATEGORY 2.

SALISBURY ADVANTAGE LARGEST SELECTION OF KIT OPTIONS AVAILABLE.

PRODUCT NUMBERING CHART FOR PPF KITS W / COVERALIS

Salisbury Cat. No.		ATPV Rating cal/cm²	HRC	Description
SKCA8	S, M, L, XL, 2XL, 3XL	8	2	Navy
SKCA8TC	S, M, L, XL, 2XL, 3XL	8	2	2-Color
SKCA11	S, M, L, XL, 2XL, 3XL	12	2	Navy
SKCA11TC	S, M, L, XL, 2XL, 3XL	12	2	2-Color
Example:				
SKCA8	L	8	2	

SKCA8L is a large clothing kit containing a coveralls in an ATPV rating of 8 cal/cm², AS1000HAT, AFH00D, storage bags and safety glasses.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK
Specialty Reinforced Back Pack. Add suffix "-1200" to replace AS1000HAT w/ AS1200HAT.





IMPORTANT: THE MAXIMUM ARC FLASH PROTECTION OF A KIT IS EQUAL TO THE LOWEST CAL/CM² RATING OF ANY COMPONENT IN THE SELECTED SAFETY KIT.

PRO-WEAR® ARC FLASH PROTECTION JACKETS AND OVERPANT





ARC FLASH PROTECTION JACKETS & OVERPANTS

8 cal/cm² to 20 cal/cm² ATPV ratings

Made from arc flash resistant material

Sewn with Nomex® thread

Jackets and overpants meet current ASTM F1506 and NFPA 70E standards.

All are CE 0120 certified.

Sizes S, M, L, XL, 2XL, and 3XL available from stock

Other sizes and orange color available by special order

◆ ARC FLASH PROTECTION JACKETS

Jackets are 32" long and have Nomex® wristlets.

Jackets have hook & pile front closure

Jackets are intended to be used with Salisbury AS1000 / AS1200 / AS1500

Series Faceshield/Hard Hat/Chin Cup Unit

Cat. No.	Description
JSHV832BL	8 cal/cm², jacket, navy blue
JSHV1132BL	12 cal/cm², jacket, navy blue
JSHV2032BL	20 cal/cm², jacket, navy blue

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

ARC FLASH PROTECTION OVERPANTS

Overpants have full elastic waistband with FR hook and pile front closure 30" inseam

Overpants have hook and pile cuff adjustment

Salisbury Exclusive

The Salisbury overpants provide a quick and cost-effective way to maximize protection

Loose design and flared legs make it easy to put on and take off over existing work clothing.

Cat. No.	Description	
ACP830BL	8 cal/cm², overpants, navy blue	
ACP1130BL	12 cal/cm², overpants, navy blue*	
ACP2030BL	20 cal/cm², overpants, navy blue*	

NOTE: Add suffix for desired size: S, M, L, XL, 2XL, or 3XL

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

ARC FLASH PROTECTION JACKET AI

8 & 12 CAL/CM²



■ SALISBURY PRO-WEAR® ARC FLASH PROTECTION JACKET KITS AND OVERPANTS KITS are clothing kits containing an arc flash jacket with hood in an ATPV rating of either 8 cal/cm² or 12 cal/cm², an AS1000HAT, SKBAG and safety glasses. Appropriate ATPV rated overpants are included with SKJP kits.

The SKJP kits provide more protection and comfort than a lab coat and legging solution. These kits provide maximum head-to-toe HRC 2 Protection.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E HAZARD RISK CATEGORY 2.



PRODUCT NUMBERING CHART FOR PPF KITS W/ IACKET

Salisbury Cat. No.	Size of Garments (choose one below)	ATPV Rating cal/cm ²	HRC
SKJ8	S, M, L, XL, 2XL, 3XL	8	2
SKJ11	S, M, L, XL, 2XL, 3XL	12	2
SKJP8	S, M, L, XL, 2XL, 3XL	8	2
SKJP11	S, M, L, XL, 2XL, 3XL	12	2
Example: SKJ8	L	8	2

SKJ8L is a large clothing kit containing a jacket in an ATPV rating of 8 cal/cm², AS1000HAT, storage bags and safety alasses.

110100011111, 5101	ago bags ana .	Jarony grassos.		
Example:				
SKJP8	L		8	2

SKJP8L is a large clothing kit containing a jacket and overpants in ATPV ratings of 8 cal/cm 2 , AS1000HAT, storage bags and safety glasses.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack. Add suffix "-1200" to replace AS1000HAT w/ AS1200HAT.

If You Need it, Request it. Call customer service if you need something not seen here.



PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

HRC 2

8 - 12 - 20 CAL/CM²



 ϵ

► SALISBURY PRO-WEAR® ARC FLASH PERSONAL PROTECTION EQUIPMENT KITS ARE AVAILABLE IN ATPV RATINGS OF 8, 12, AND 20 CAL/CM². These kits contain arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety glasses.

NEW 2-COLOR 8 CAL/CM² AND 12 CAL/CM² PRO-WEAR ARC FLASH PROTECTION PPE KITS AVAILABLE.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THESE KITS MEET NFPA 70E







	Size	ATPV	HRC	Description
	of Garments	Rating		
	(choose one below)	cal/cm ²		
SK8	S, M, L, XL, 2XL, 3XL	8	2	Navy
SK8TC	S, M, L, XL, 2XL, 3XL	8	2	2-Color
SK11	S, M, L, XL, 2XL, 3XL	12	2	Navy
SK11TC	S, M, L, XL, 2XL, 3XL	12	2	2-Color
SK 20	S, M, L, XL, 2XL, 3XL	20	2	Navy
Example: SK8	M	8	2	

SK8M is a dothing kit with a rating of 8 cal/cm² that contains a coat, bib overalls, PRO-HOOD, hard hat, safety glasses and storage bag.

NOTE: Available in orange upon request. Contact your local Salisbury Representative.

OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK
Specialty Reinforced Back Pack.

If You Need it, Request it. Call customer service if you need something not seen here.

PREFER A BACKPACK
WITH YOUR KIT?
Make any kit a Back Pack kit,
by adding suffix "-BP" to you part number
or contacting your local Salisbury by

Honeywell representative for more.

NEW ber

PRO-WEAR® PERSONAL PROTECTION EQUIPMENT KITS

31 CAL/CM²

HRC :



■ SALISBURY PRO-WEAR® ARC FLASH PERSONAL PROTECTION EQUIPMENT
KITS ARE AVAILABLE IN AN ATPV RATING OF 31 CAL/CM². This kit contains
an arc flash coat, bib overalls, PRO-HOOD®, hard hat, SKBAG, and safety
glasses.

Sizes S, M, L, XL, 2XL, and 3XL available from stock. Other sizes and orange color available by special order.

THIS KIT MEETS NFPA 70E HAZARD RISK CATEGORY 3.





PRODUCT NUMBERING CHART FOR 31 CAL/CM² PPE KITS

Salisbury	Size	ATPV	HRC
Cat. No.	of Garments	Rating	
	(choose one below)	cal/cm²	
SK31	S, M, L, XL, 2XL, 3XL	31	3
Example:			
SK31	S	31	3

SK31S is a small clothing kit with a rating of 31 cal/cm² that contains a coat, bib overalls, PRO-HOOD, hard hat, safety glasses and storage bag.

NOTE: Available in orange upon request. Contact your local Salisbury Representative. OPTION: Add suffix "-BP" to replace the SKBAG Large Storage Bag with a SKBACKPACK Specialty Reinforced Back Pack.

If You Need it, Request it. Call customer service if you need something not seen here.

